
John W. James, State Climatologist University of Nevada, Reno 322 Mackay Science Hall/154 Reno, Nevada 89557-0118



Telephone (775) 784-1723 E-mail nclimate@scs.unr.edu Fax (775) 784-1058

> Nevada State Library and Archives

MAY 1 8 2005

STATE PUBLICATIONS

## NEVADA CLIMATE SUMMARY

August 1999 Volume 16, Number 8

August was generally a wetter than normal month over most of Nevada, with temperatures averaging near or a little above normal. However, precipitation-wise August is not usually a very productive month in Nevada. For example, Minden had .91" which is  $2\frac{1}{2}$  times normal, while the .55" at Wellington Weaver was twice the usual for August as was the .89" at Gerlach.

In inches, the wettest area was the East where Cathedral Gorge State Park had 2.25", Spring Valley State Park 2.02", Snowball Ranch 1.96", Shoshone 1.77", Great Basin National Park 1.57", Pioche 1.51" and Pioche Lister Ranch 1.47". Deanna Vance had 1.25" at the Warm Springs Ranch south of Wells.

On the dry side such widespread places as Rye Patch Reservoir, McDermitt, Bunkerville, Overton Beach and Gabbs, had no precipitation this month, while Laughlin and Echo Bay had only .01".

Even with the general lack of rainfall there were some <u>noteworthy</u> storms. Dave Secrist at San Jacinto noted a damaging cloudburst on the 4<sup>th</sup> twelve miles east of San Jacinto, as a wall of water came down Trout Creek. Photos show the local devastation. The Elko National Weather Service Doppler Radar estimated 2 inches in one hour! At the Lister Ranch near Pioche, Ruby Lister noted .52" in 20 minutes on the 22<sup>nd</sup>, and Bill Oar at Stillwater had .36" in 20 minutes on the 23<sup>rd</sup>. Pat Farias measured .50" and 1½" in diameter hailstones at Flanigan.

Temperature extremes ranged from the low to mid 20's in the North (for example Dusty Ferguson had 25° at Vya on the 31<sup>st</sup>) to the high "100-teens" in the South (for example, 117° at Boulder Beach on the 1<sup>st</sup>). For those that appreciate large diurnal

ranges, the temperature rose from 29° to 90° on the 31st at San Jacinto and 35° to 96° at Minden.

Evaporation was near normal with for example, 14.60" at Overton, 11.72" at the Garry's Amargosa Farms, 8.58" at Honey Lake, 9.20" at Fallon, 7.65" at Shoshone, and 7.16" at Minden.

NOTE: September temperature extremes 118° Rioville 1888 0° Carlin 1895

NEXT MONTH: The 1998-99 Water Year (October 1, 1998 - September 30, 1999).

John W. James State Climatologist